

38 Years with your trust

Ready Stock - Price List

w.e.f. AUG 2026



Order Time : 10:00 AM - 7:00 PM
Delivery Time : Anytime (24 x 7)
Site Delivery : Extra Cartage
Drum & Crane Charges Extra
For Porter Booking, Refer Back Page



FIA TAC
FIRE INSURANCE TARIFF ADVISORY COMMITTEE APPROVED

FR
PVC

Switchgears & DBs



Shielded & Other Cables



Flexible & Control Cables



MS Fitting Powder Coated



PVC Fitting



Fan Rod | Leads | Tapes



AUG' 2026

w.e.f. Aug' 2026



FR GRADE PVC **ROUND COPPER** FLEXIBLE CABLE

HSN: 85446020

1



		SINGLE CORE			MULTI CORE (BLACK)												
Color	CR	No. of Wires	Size (mm ²)	90 Mtr	100 Mtr				Per Mtr Rate								
				1	2	3	4	5	6	7	8	10	12	16	19	24	
				Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	
	5	19	0.50	1860	5500	7300	9100	120	144	168	195	237	278	370	440	560	
	8	10	0.75	2660	7200	10300	13400	180	220	250	283	350	420	540	650	830	
	13	14	1.0	3550	9200	13200	17600	226	270	320	360	450	530	720	850	1100	
	17	22	1.5	5330	13400	19300	25600	340	410	480	540	660	790	1060	1280	1600	
	24	36	2.5	8660	21400	30700	40600	540	630	740	830	1030	1250	1710	2030	2580	
	36	56	4.0	13400	32900	47000	62500	820	1030	--	--	--	--	--	--	--	
	47	84	6.0	20100	49300	71300	93500	1200	1530	Cut / Drum Length Available for All Sizes Above 1.5 mm² x 2 Core							--
				90 Mtr	Per Mtr Rate												
	62	140	10	33500	900	1240	1620	2110	--	--	--	--	--	--	--	--	
	79	224	16	54300	1360	1970	2550	3470	--	--	--	--	--	--	--	--	
Per Mtr																	
	108	350	25	940	2170	3100	4000	5280	--	--	--	--	--	--	--	--	
	132	490	35	1350	--	4240	5520	--	--	--	--	--	--	--	--	--	
	162	315	50	1890	--	6100	8100	--	--	--	--	--	--	--	--	--	
	215	440	70	2640	--	8500	11200	--	--	--	--	--	--	--	--	--	
	260	590	95	3540	--	11500	15200	--	--	--	--	--	--	--	--	--	
	305	760	120	4600	--	15000	19700	--	--	--	--	--	--	--	--	--	
	355	962	150	5700	--	18800	25500	--	--	--	--	--	--	--	--	--	
	415	925	185	7200	--	--	--	--	--	--	--	--	--	--	--	--	
	500	1221	240	9700	--	--	--	--	--	--	--	--	--	--	--	--	
	585	1527	300	12400	--	--	--	--	--	--	--	--	--	--	--	--	
	695	2036	400	16600	--	--	--	--	--	--	--	--	--	--	--	--	

HSN: 85446020

RUBBERISED

Hi - flex Rubberised Cable

90 MTR

2

- ~ **FOAM** * Highly Flexible | Extra Soft | Heavy Duty | Rough Use | Smooth Finish
- ~ **Copper** * Higher Current Carrying Capacity - 101% Electrolytic Bare Copper | Ultra fine drawn wires to increase flexibility

Longer Life

Extra Soft



Size (mm ²)	2 Core 90 Mtr	3 Core 90 Mtr	4 Core 90 Mtr	Current Rating
0.75	7000	-	-	9 Amp
1.0	10000	-	-	15 Amp
1.5	12900	18200	24100	19 Amp
2.5	19900	28900	37500	25 Amp
4.0	-	44300	59000	35 Amp



APPLICATION

- * Ideal for Moving Cable
- * Any Outdoor Application
- * Used in CNC Machines
- * Hand Tools
- * Extension Boards
- * Speakers
- * Camera Light

HSN: 85446020

SHIELDED CORE (BRAIDED + SCREENED)

3



CR	No. of Wires	Size (mm ²)	100 Mtr			Per Mtr Rate								
			2	3	4	5	6	7	8	10	12	16	19	24
			Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core
5	19	0.50	8600	10300	12870	176	190	233	265	320	380	490	570	700
8	10	0.75	10600	14300	17900	-	-	-	-	-	-	-	-	-
13	14	1.0	13800	18600	24300	320	370	430	480	610	760	970	1160	1460
17	22	1.5	20300	27000	35700	-	600	-	800	980	1160	-	-	-
24	36	2.5	31300	44500	57600	-	-	-	-	-	-	-	-	-
36	56	4.0	-	-	86100	-	-	-	-	-	-	-	-	-
47	84	6.0	-	-	126500	-	-	-	-	-	-	-	-	-

Cut / Drum Length
Available for All SizesShielded Armoured
Available on Order

SHIELDED

HSN: 85446020

AUTOMATION CABLE (90 M)

4



FLXIBLE - CORE

CORE	7/38	14/38
2 Core	-	3300
3 Core	NEW	4700
4 Core	3200	6300
6 Core	4800	9450
8 Core	6400	12600
10 Core	8000	15750
12 Core	9600	18900

SCREENED - SHIELDED

CORE	7/38	14/38
2 Core	-	5500
3 Core	NEW	7100
4 Core	4700	8700
6 Core	6700	12500
8 Core	8900	16100
10 Core	10700	20500
12 Core	12700	24200

THERMOCOUPLE & 5

PT-100 WIRE (100 MTR)

SIZE	Rate	Color	Temp Range
J Type	3900	Black	600 ° C
K Type	3900	Red	600 ° C
PT-100	5600	3 Core Teflon Taped & Overall Teflon	



HSN: 85441920

* Suitable for wiring in less space
* Best for LED Strip lights, Fancy Lights, House wiring

7

TEFLON LIGHTING WIRE

Tinned Copper



SITASONS 100M

SIZE	Rate	OD
0.50	3800	1.10 MM
0.75	4800	1.40 MM
.50 x 2	8400	2 Core

HSN: 85446090

FIBER - GLASS WIRE (100M)

6

Tinned Copper



Size (mm ²)	TEKSON	SITASONS	TSR	SITASONS
0.50	2900	-	-	Red Color
0.75	4000	-	-	Black Color
1.0	4610	3900	3210	3970
1.5	6900	5900	4710	5860
2.5	10800	9100	7150	9100
4	16400	13800	10800	13800
6	24100	20200	15700	
10	40900	34200	27000	
16	66200	55500	44000	
25	1140	960		
35	1600	1360		
50	2300	1940		
70	3200			
95	4300			
120	5600			
150	7200			

Double Braiding
(Cut Length Also Available)

FiberGlass in Color

TEFLON WIRE (100M)

8

HSN: 85446090

TEKSON SITASONS

Now in Tinned Copper




SIZE	Rate	Rate
1.0	7630	6600
1.5	10000	8600
2.5	14400	12100
4	20600	17200
6	29300	25200
10	48900	41900
16	80700	-

Black
White
Red* Tinned Copper
* Triple Taped
* Export Quality Tape
* 100% Fresh Reel

HSN: 85444992

CAT 6 - NETWORKING CABLES

9



SIZE	List	Length	Make	Color
CAT 6 Tekson 90 Mtr	7500	90 Mtr	Tekson	●
CAT 6 Tekson 305 Mtr Cu .51 MM	24700	305 Mtr	Tekson	●
CAT 6 SitaSons 305 Mtr Cu.45 MM	18700	305 Mtr	SitaSons	●
CAT 6 TSR 305 Mtr CCA .51MM	10100	305 Mtr	TSR	●
CAT 6 Outdoor Black Cu .51MM	25900	305 Mtr	Tekson	●
CAT 6 Armoured	165	per Mtr	Tekson	●

HSN: 85442010

RG 6 COAXIAL CABLE

10



SIZE	90 Mtr	305 Mtr
RG 6 CCS - SITASONS	2300	-
RG 6 CCS - Tekson	2600	9000
RG 6 Copper - SITASONS	4350	-
RG 6 Copper - Tekson	5340	18400
RG 6 COP Armoured	117	



HSN: 85447090

OPTIC FIBRE CABLE

11



SIZE	Rate/Mtr	Packing	Mode
OPTIC 2 Fibre Cable 2F SM	30	1000 Mtr	Single Mode
OPTIC 2 Fibre Cable 4F SM	40	1000 Mtr	Single Mode



HSN: 85442010

CCTV CABLE

12



	SITASONS	TEKSON	TEKSON	TEKSON
CCTV	Alloy+Copper	Solid Copper	Full Copper	Heavy Duty
SIZE	90 Mtr	90 Mtr	90 Mtr	305 Mtr
(3+1)	3100	4600	5600	23400
(4+1)	3600	5320	6360	(RG59+3Core)
(6+1)	4430	-	8030	
(8+1)	5050	-	9700	



HSN: 85444220

SITASONS® LEAD WIRE (with Moulded TOP)

13



ITEM	Length	Rate	Packing	Color
3 PIN PRESS (with Thimble)	2.5 Mtr	250	10 Pcs	○
2 PIN FLAT	2 Mtr	86	20 Pcs	○
3 PIN 6A	2 Mtr	200	10 Pcs	○
3 PIN 16A (Power - A.C.)	2 Mtr	390	8 Pcs	○



HSN: 85444999



ITEM 90 MTR	0.25	0.50	0.75	1.00	1.50	2.50
Hi-Flex (Round) Outdoor Cable (2 Core)	-	-	7000	10000	12900	19900
IVORY FLAT	2180	3800	5100	6600	9500	14200
IVORY FLAT SITASONS	-	2900	4000	5400	7800	-
TRANSPARENT OFC Speaker TCBC	2300	3700	5100	6600	9400	15000
FLEXIBLE TWISTED COPPER	1780	3200	4500			
BLACK PARALLEL	1780	3200	4500			
WHITE PARALLEL	1780	3200	4500			
WHITE PARALLEL SITASONS	-	2300	-			
FLEXIBLE TWISTED ALLOY (40/76)	-	1400	-			
COTTON WIRE 3 Core	-	-	7140			

14



HSN: 85444992



TELEPHONE PAIR

0.41 MM (Coil Pack)		0.50 MM (Box Pack)	
Size	90 Mtr	Size	90 Mtr
1 PAIR	1450	1 PAIR	2200
2 PAIR SS	2300	2 PAIR	4100
2 PAIR	2800	3 PAIR	5800
3 PAIR	4200	4 PAIR	8300
4 PAIR SS	4600		
4 PAIR	5600	TSR - 0.51MM	
5 PAIR	7000	CCA	90 Mtr
6 PAIR	8400	2PAIR TSF	1300
10 PAIR SS	11500	4PAIR TSF	2600
10 PAIR	14000		
20 PAIR	28000		

15

SUBMERSIBLE CABLE

3 CORE FLAT

Size	100 MTR	500 MTR
1.5 x 3 FLAT	19600	--
2.5 x 3 FLAT	30700	153500
4 x 3 FLAT	47900	239500
6 x 3 FLAT	71800	359000
10 x 3 FLAT	1300 Per Mtr	Cut Length Available
16 x 3 FLAT	2000 Per Mtr	

HSN: 85446020



16

HSN: 85444992



BLACK

JELLY FILLED TELEPHONE CABLE

ARMoured (0.50 MM)

Size	Rate (Per Mtr)
5 PAIR Jelly Filled	200
10 PAIR Jelly Filled	330
20 PAIR Jelly Filled	570
50 PAIR Jelly Filled	1200



GREY

UN-ARMoured (0.50 MM)

Size	Rate (Per Mtr)
5 PAIR Jelly Filled	126
10 PAIR Jelly Filled	235
20 PAIR Jelly Filled	450
50 PAIR Jelly Filled	1100

17

HSN: 85446020

SOLID COPPER (90 Mtr)



Size	Rate	Color
-	-	-
1.5	6100	● ● ● ● ●
2.5	10350	● ● ● ● ●
4	15500	● ● ● ● ●
6	24900	● ● ● ● ●
10	41400	● ● ● ● ●
-	-	-
-	-	-



STRANDED COPPER (90 MTR)

18

Size	Amp	Color	SWG	Rate
0.75	5	●	1/18	4040
2.5	18	● ●	7/22	10600
4	25	● ● ● ●	7/20	15600
6	30	● ● ● ● ●	7/18	25900
12	42	● ● ● ● ●	7/16	52400
25	57	●	7/14	94000
40	97	●	19/16	1600 Per Mtr
65	140	●	19/14	2900 Per Mtr

HSN: 85446090

SOLAR DC CABLES

Photovoltaic Cables for Solar Energy Systems | Highly Conductive Tinned Copper | High Temperature Resistant
UV radiations resistant | Double Insulation - (XLPO + UV PVC)

SIZE	RATE / Mtr	PKG	COLOR
4.0 SQMM SOLAR DC	139	500 Mtr, 100 Mtr	Black (with Red Lining)
6.0 SQMM SOLAR DC	205	500 Mtr, 100 Mtr	Black (with Red Lining)



* Cut Length Available

HSN: 85444999

ALUMINIUM CABLES (Domestic Range)

19

2 CORE AL TWIN FLAT

90 Mtr

500 Mtr



Size	SITASONS	TEKSON	Size	SITASONS	TEKSON	Length
2.5 x 2	-	2700	-	-	-	-
4 x 2	3000	3800	4 x 2	-	21120	500 Mtr
6 x 2	4100	5060	6 x 2	22780	28120	500 Mtr
10 x 2	6500	8000	10 x 2	36120	44450	500 Mtr
16 x 2	9100	12600	16 x 2	50560 (500M)	35000 (250M)	-
25 x 2	13300	16400	25 x 2	36950	45560	250 Mtr
35 x 2	17900	-	35 x 2	49730	-	250 Mtr
10 x 2	5360	TSR	-	-	-	-

SOLID

SINGLE CORE

90 Mtr



Size	Rate	Color
1.5	760	● ●
2.5	1170	● ●
4	1640	● ●
6	2490	● ●
10	4010	● ●
16	5950	●
25	8240	●

STRANDED

SINGLE CORE

90 Mtr

TEKSON



Size	Rate	Color
6	3260	● ● ● ● ●
10	5070	● ● ● ● ●
16	6840	● ● ● ● ●
25	10720	● ● ● ● ●
35	14140	● ● ● ● ●
50	20100	● ● ● ● ●

SITASONS NEW

Size	Rate	Color
10	3430	● ● ● ● ●
16	5200	● ● ● ● ●
25	8400	● ● ● ● ●
35	11260	● ● ● ● ●
50	15300	● ● ● ● ●



4 CORE

ROUND UN-ARM

Size	Rate	Rate	Lgth
10 X 4 AU	184	211	400
16 X 4 AU	246	288	300
25 X 4 AU	360	430	250
35 X 4 AU	460	540	200
50 X 4 AU	640	760	200

20

ARMOURED CABLES

XLPE/PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR VOLTAGE UPTO 1100 VOLTS

21

ARMOURED					
Size MM ²	1 Core	2 Core	3 core	3.5 Core	4 Core
4	-	105	130	-	150
6	-	134	170	-	192
10	-	174	227	-	270
16	-	234	310	-	360
25	-	320	430	440	490
35	-	410	550	570	650
50	-	540	730	770	860
70	-	-	-	1040	1180
95	-	-	-	1330	1530
120	-			1680	1940
150	700	-	-	2040	2440
185	860			2570	3000
240	1150	-	-	3400	3900
300	1380	-	-	4200	-
400	1750	-	-	5430	-
500	2200	-	-	-	-
630	2700	-	-	-	-

UN ARMOURED					
Size MM ²	1 Core	2 Core	3 core	3.5 Core	4 Core
4	-	-	90	-	112
6	-	-	112	-	138
10	-	126	173	-	211
16	-	168	222	-	288
25	-	240	340	-	430
35	-	310	-	500	540
50	-	-	-	680	760
70	320	-	-	930	1070
95	410	-	-	1250	1440
120	530	-	-	1640	1850
150	600	-	-	2080	2350
185	770			-	-
240	1010	-	-	-	-
300	1280	-	-	-	-
400	1640	-	-	-	-
500	2070	-	-	-	-
630	2530	-	-	-	-

COPPER ARMOURED CABLE				
Size MM ²	2 Core	3 core	3.5 Core	4 Core
1.5	178 ● ●	255	-	330
2.5	278	380	-	490
4	390	540	-	710
6	580	830	-	1090
10	940	1350	-	1720
16	1320	2000	-	2600
25			3300	4200
35	-	-	-	5600
50	-	-	7300	8200

JELLY FILLED TELEPHONE CABL

HSN: 85444992

ARMOURED (0.50 MM)

PAIR	Rate (per mtr)
5 PAIR Jelly Filled	200
10 PAIR Jelly Filled	330
20 PAIR Jelly Filled	570
50 PAIR Jelly Filled	1200



ALUMINIUM CABLE

24

ARMOURED SITASONS			
Size MM ²	2 Core	3.5 Core	4 Core
4	73	-	-
6	100		
10	134	-	210
16	-	-	273
25	-	-	420
35	-	-	550
50	-	660	740
70	-	860	980
95	-	1120	1280
120	-	1400	-

UN ARMOURED		
Size MM ²	3 Core Solid	4 Core
4		
6		
10	138 Solid	184
16	184 Solid	246
25	235 Solid	360
35	330 Solid	460
50	-	640

COPPER ARMOURED			
Size MM ²	2 Core	3 Core	4 Core
1.5	137 ● ●	-	-
2.5	237	320	420
4	-	460	600
6	-	690	900
10	-	-	1590



SITASONS

HSN: 85446020

ALUMINIUM CABLE

25

SITASONS®
Cables



ARMOURED			
Size MM ²	2 Core	3.5 Core	4 Core
4	73	-	-
6	100	-	-
10	134	-	210
16	-	-	273
25	-	-	420
35	-	-	550
50	-	660	740
70	-	860	980
95	-	1120	1280
120	-	1400	-

UNARMOURED

Size MM ²	3 Core Solid	4 Core
10	138	184
16	184	246
25	235	360
35	330	460
50	-	640

COPPER ARMOURED

Size	2 Core	3 Core	4 Core
1.5	137	-	-
2.5	237	320	420
4	-	460	600
6	-	690	900
10	-	-	1590

2 CORE FLAT ALUMINIUM

SIZE	90 Mtr	500 Mtr
4 x 2 FLAT	3000	
6 X 2 FLAT	4100	22780
10 X 2 FLAT	6500	36120
16 X 2 FLAT	9100	50560
25 X 2 FLAT	13300	36950 250 Mtr
35 X 2 FLAT	17900	49730 250 Mtr




HSN: 85446020

COPPER ROUND FLEXIBLE CABLE

26

SITASONS®
Cables



SINGLE CORE				MULTI CORE (BLACK)										
Color	Current Rating	No. of Wires	Size (mm ²)	90 Mtr	90 Mtr				Per Mtr Rate					
				1	2	3	4	5	6	7	8	10	12	
				Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	
	5	19	0.50	-	4550	6120	8140	-	126	-	167	204	248	
	8	10	0.75	2270	5710	8000	10660	-	Screened/Taped		-	-		
	13	14	1.0	3010	7070	10070	13740	-	227	-	291	360	430	
	17	22	1.5	4350	10050	14430	19200	-	-	-	-	-	-	
	24	36	2.5	7080	16200	23300	30700	-	-	-	-	-	-	
	36	56	4.0	11170	25250	36600	48200	-	-	-	-	-	-	
	47	84	6.0	16400	37900	53300	70800	-	-	-	-	-	-	
					Per Mtr									
	62	140	10	29100	-	1060	1380							
	79	224	16	46300	-	1630	2160							
	108	350	25	70000	-	2600	3400							
	132	490	35	100000	-	-	-							
	162	315	50	142000	-	-	-							
														



SITASONS®
Cables



WHITE ROUND (2.5 CORE)

27

Size	Rate (90 Mtr)
0.50 mm ² x 3 Core	6120
0.75 mm ² x 2.5 Core	7100
1.0 mm ² x 2.5 Core	8900
1.5 mm ² x 2.5 Core	13000
2.5 mm ² x 2.5 Core	20700

COPPER ARMOURED

28

Size	2 Core
1.50 mm ² x 2 Core SS	137
1.50 mm ² x 2 Core Tekson	178

(FRLS) With RED Color PVC
for Fire Alarm System



Now with Double Protection from Rusting

GI SHEET

&

POWDER COATING

(OFF-LOAD)



HSN: 85365010

REWIRABLE SWITCH FUSE UNIT

RATING	DP (240V)	SIZE	RATING	TPN (415V)	SIZE
63	5300	33 x 21 x 11	32	3100	26 x 22 x 9
			63	7400	35 x 28 x 13
			100 (Blade)	11700	41 x 32 x 14
			200 (Blade)	20500	55 x 32 x 18

HSN: 85365010



HRC SWITCH (WITH FUSE & DOUBLE BREAK)

RATING	VOLT	RATE	BOX SIZE (CM)
200	415	18350	35 X 35 X 33
320	415	20400	35 X 35 X 33
400	415	30200	36 X 45 X 35
630	415	61000	41 X 55 X 40
800	415	64000	41 X 55 X 40

(OFF-LOAD)



CHANGEOVER SWITCHES - KNIFE TYPE

Double Pole

Four Pole

HSN: 85365010

RATING	DP (240V)	SIZE	RATING	FP (415V)	SIZE
32	1800	21 X 15 X 9	32	3600	21 X 27 X 9
63	4900	31 X 21 X 17	63	9060	31 X 36 X 17
100	6640	31 X 21 X 17	100	10500	31 X 36 X 17
			200	23400	50 X 44 X 25
			320	26800	50 X 44 X 25
			400	54700	58 X 51 X 39
			630	74000	65 X 64 X 31
			800	77000	65 X 64 X 31

100 %
COPPER PARTS

INDUSTRIAL BUS BAR CHAMBERS

HSN: 85371000

Step Type Model



RATING	VOLT	RATE	BOX SIZE (CM) L X B X H
32	415	2650	26 X 23 X 13
63	415	3640	28 X 23 X 13
100	415	5470	36 X 30 X 15
200	415	10000	43 X 43 X 20
320	415	11400	43 X 43 X 20
400	415	20400	61 X 58 X 28
500	415	25800	61 X 58 X 28
630	415	43500	61 X 58 X 28
800	415	52800	61 X 58 X 28

FEATURES :

- > Made with Special GI Sheet
- > Heavy Duty Body
 - 1.0MM (20 Gauge)
- > Extra Ordinary Space
 - More Height for wiring comfort
- > Neutral Link Comb
 - Pure Copper Silver-Plated
- > Spectacular Design
 - Hidden Hinges
- > Special Granual Powder Coating



SPN DB

Double Door

HSN: 85371000

RATING	RATE	BOX SIZE (CM)
4 WAY DD	900	24 X 18 X 9
6 WAY DD	1050	24 X 22 X 9
8 WAY DD	1200	24 X 25 X 9
10 WAY DD	1400	24 X 29 X 9
12 WAY DD	1550	24 X 32 X 9
16 WAY DD	1870	24 X 39 X 9



TPN DB

Double Door

HSN: 85371000

SIZE	RATE	BOX
4 WAY TPN	2400	39 X 29 X 10
6 WAY TPN	3000	39 X 36 X 10
6 WAY TPN	3600	39 X 43 X 10
12 WAY TPN	5600	47 X 60 X 10



→ 12 TPN DD (With more Space for Wiring)

M.C.C.B. BOX

(Multipurpose:- Compatable with most company MCCBs) HSN: 85371000

RATING	VOLT	RATE	Cutting Size (MM)	BOX SIZE (CM)
100 A MCCB BOX	415	1250	76 MM X 52 MM	41 X 21 X 9.5
200 A MCCB BOX	415	1400	76 MM X 52 MM	41 X 21 X 13.5
320 A MCCB BOX	415	2120	76 MM X 95 MM	50 X 24 X 13
400 A MCCB BOX	415	4550	93 MM X 127 MM	60 X 36 X 18

Now with
Bigger Cutting Size



A.C.BOX With Plug & Socket

HSN: 85371000

RATING	VOLT	TYPE	RATE	BOX SIZE (CM)
20 A AC BOX	240	SP	840	15 X 12 X 6
20 A AC BOX	415	TP	1340	28 X 11 X 7
30 A AC BOX	415	TP	1900	28 X 11 X 7



KIT KAT FUSE

HSN: 85361020

RATING	XL	WITH EXTENSION
63 A	960	--
100 A	1630	1800
200 A	2870	3080
500 A	--	5230



Premium Quality

HSN: 39174000



Batten Clip

HSN: 39269099



HSN: 39174000



HSN: 85371000



HSN: 84149030

(6" Grill) (6" Flap)



(12" Flap)

PVC CLIP

1

SIZE	Rate/Pkt	Pcs/Pkt	Packing
4 MM	27	100 Pcs	100 Pkt
7 MM	41	100 Pcs	100 Pkt
10 MM	63	100 Pcs	100 Pkt
12 MM	88	100 Pcs	100 Pkt
16 MM	158	100 Pcs	25 Pkt
20 MM	200	100 Pcs	25 Pkt
25 MM	306	100 Pcs	20 Pkt
32 MM	720	100 Pcs	10 Pkt
40 MM	970	100 Pcs	5 Pkt
50 MM	1530	100 Pcs	5 Pkt
Batten Clip	41	100 Pcs	100 Pkt

PVC CLIP SITA SONS

SIZE	Rate/Pkt	Pcs/Pkt	Packing
20 MM	180	100 Pcs	25 Pkt
25 MM	236	100 Pcs	20 Pkt

PVC GITTI

2

SIZE	Rate/Pkt	Pcs/Pkt	Packing
35X8 Gitti Reg	290	500 Pcs	20 Pkt
35X8 Gitti Big	380	500 Pcs	20 Pkt
38x8 Gitti	380	500 Pcs	20 Pkt
50 x 8 Gitti	760	500 Pcs	10 Pkt

PVC ELBOW & TEE

3

SIZE	ITEM	Rate/100Pcs	Packing
20 MM	Elbow	340	500 Pcs
25 MM	Elbow	650	500 Pcs
20 MM	Tee	480	500 Pcs
25 MM	Tee	800	400 Pcs
25 MM	Socket	660	500 Pcs

PVC MCB BOX

4

SIZE	Rate	Packing
2 POLE	56	10 Pcs
4 POLE	90	10 Pcs

PVC SHUTTER

5

SIZE	Rate	Packing
6" Grill Shutter	240	15 Pcs
6" Flap Shutter	240	15 Pcs
12" Flap Shutter	300	8 Pcs

HSN: 39174000



JUMBO

HSN: 85389000



HSN: 85389000

Switch & Socket
MULTI
PURPOSE

(6 Socket)



HSN: 39174000



ABS JUNCTION BOX

6

SIZE	Rate/Dzn	Pkg
25 MM	380	9 Dzn

PVC JUNCTION BOX

7

SIZE	Rate/Dzn	Pkg
20 MM	168	15 Dzn
25 MM	168	15 Dzn

JUNCTION BOX-JUMBO

8

SIZE	Rate/Dzn	Pkg
25 MM	330	9 Dzn
32 MM	620	4 Dzn
40 MM	670	4 Dzn
50 MM	1050	2 Dzn

MODULAR SURFACE BOX

9

SIZE	Rate	Pkg
3 X 3	42	72
4 X 3	63	48
5 X 3	70	36
8 X 3	90	25
5 X 5	115	20
9 X 3	120	21
8 X 6	150	14
8 X 8	230	9

PVC GANG BOX

10

SIZE	Rate	Pkg
1 Way 6A	28	10 Pcs
2 Way 6A	34	10 Pcs
3 Way 6A	38	10 Pcs
4 Way 6A	44	10 Pcs
5 Way 6A	54	10 Pcs
6 Way 6A	58	10 Pcs
6 Way 6A SQ	95	10 Pcs
8 Way 6A SQ	74	10 Pcs
10 Way 6A SQ	100	10 Pcs
1 Way 16A	38	10 Pcs
2 Way 16A	52	10 Pcs
4 Way 16A	106	10 Pcs

PVC MCB DUMMY

11

SIZE	Rate/1Pkt	Pkg
1 MODULE	220	100 X 5Pkt

PVC SQUARE BOX

12

SIZE	Rate	Pkg
4 x 4 SQ BOX	11	50 Pcs

HSN: 39173100

FLEXIBLE PIPE
13


MEDIUM			MEDIUM		
SIZE	Rate	Pkg	SIZE	Rate	Pkg
Rolls			Rolls		
20 MM	170	42	20 MM	250	42
25 MM	220	30	25 MM	340	30
Length - 25 Mtr					

HEAVY				HEAVY			
SIZE	Rate	Pkg		SIZE	Rate	Pkg	Length
16 MM	190	25		16 MM	350	25 Roll	25 Mtr
20 MM	240	20		20 MM	420	20 Roll	25 Mtr
25 MM	320	15		25 MM	520	15 Roll	25 Mtr
32 MM	490	10		32 MM	880	10 Roll	25 Mtr
40 MM	580	10		40 MM	930	10 Roll	20 Mtr
50 MM	600	10		50 MM	990	10 Roll	15 Mtr

BLACK FLEXIBLE PIPE			
SIZE	Rate	Pkg	Length
16 MM	780	5	25 Mtr
20 MM	890	5	25 Mtr
25 MM	1080	5	25 Mtr
32 MM	1850	5	25 Mtr
40 MM	1980	5	20 Mtr
50 MM	2080	5	15 Mtr

HSN: 39269099

ROUND SHEET
14

4" PLAIN		4" POP		4" 3MM		5" 3MM		7" POP		7" PLAIN		7" 3MM	
Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg
5.0	1000	6.0	1000	11.0	1000	16.0	750	18.0	300	23.0	500	33.0	300
(50 Pcs x 20 Pkt)		(50 Pcs x 20 Pkt)		(50 Pcs x 20 Pkt)		(25 Pcs x 30 Pkt)		(10 Pcs x 30 Pkt)		(20 Pcs x 25 Pkt)		(10 Pcs x 30 Pkt)	

HSN: 39162019

PVC BATTEN
15

SIZE	Qty	List/Kg	List/Pcs (Apprx)	Wt (Apprx)
20/12	150	220 per Kg	36.7 per Pcs	25 Kg
25/16	100	220 per Kg	50.6 per Pcs	23 Kg
30/15	80	220 per Kg	66.0 per Pcs	24 Kg
38/20	50	220 per Kg	83.6 per Pcs	19 Kg
50/20	50	220 per Kg	110.0 per Pcs	25 Kg

* Rates will be taken on "per KG basis" only. Per Piece rate mentioned only for reference

HSN: 39174000

PVC BENDS
16

SIZE	Type	List/Dz	Pkg
20 MM	Medium	100	40 Dz
25 MM	Medium	120	40 Dz
25 MM	Heavy	190	40 Dz
32 MM	Heavy	290	6 Dz

HSN: 85469090

PVC TAPE
17

JUMBO		NORMAL	
Length	15 Mtr	Length	7 Mtr
List	28/- Per Piece	List	380/- per Box
Packing	300 Pcs Carton	Packing	480 Pcs per Bag
Colors		Colors	

HSN: 59061000
GST: 5%

COTTON TAPE
18

Black Cotton Tape with Adhesive



	Rate	Pkg
TEKSON Cotton Tape	140	24



	Rate	Pkg
T & T Cotton Tape	88	10

FITTING ITEMS

HSN: 39174000

ABS
TEKSON®


3" FAN BOX

Rate	Pkg
210	12 Pcs



3" CONCEALED BOX

Rate	Pkg
94	20 Pcs



4" CONCEALED BOX

Rate	Pkg
116	20 Pcs



DEEP T 3"

Rate	Pkg
680	1 Dzn



JUNCTION BOX

Rate	Pkg
380	9 Dzn

HSN: 73079990

METAL
TEKSON
 HEAVY


FAN BOX (T)

Rate	Pkg
194	35 Pcs



3" CONCEALED BOX

Rate	Pkg
114	80 Pcs



4" CONCEALED BOX

Rate	Pkg
138	60 Pcs



DEEP T 3" MS

Rate	Pkg
770	15 Dzn



CAST IRON (CI)

JUNCTION BOX

Rate	Pkg
510	42 Dzn

METAL
SITA SONS
 MEDIUM


FAN BOX (SS)

Rate	Pkg
150	60 Pcs

Without Cover
3" CONCEALED BOX

Rate	Pkg
84	100 Pcs

SUITABLE FOR CONCEALED LIGHT UPTO 5" CUTTING
5" CONCEALED BOX (HANDI)

Rate	Pkg
100	60 Pcs



CAST IRON (CI)

JUNCTION BOX

Size	Rate	Pkg
20 MM	410	60 Dz
25 MM	430	45 Dz

FAN DOWN ROD **TEKSON®** 16 Gauge

HSN: 84149030



16 Gauge

SIZE	List	Pkg	Color
6"	48	25	○ ●
9"	50	25	○ ●
12"	56	25	○ ● ●
15"	70	25	○ ● ●
18"	84	25	○ ● ●
21"	98	25	○ ● ●
24"	112	25	○ ● ●
30"	140	25	○ ●
36"	168	25	○ ●
48"	240	25	○ ●
60"	300	25	○ ●
72"	360	25	○ ●
84"	434	10	○ ●
96"	496	10	○ ●
108"	558	10	○ ●
120"	620	10	○ ●

FAN DOWN ROD **SITA SONS** 20 Gauge

SIZE	List	Pkg	Color
12"	44	25	○ ●
15"	55	25	○ ●
18"	66	25	○ ●
24"	88	25	○ ●
30"	110	25	○ ●
36"	132	25	○ ●



with Fresh Grey Rubber



HSN: 73181500



ITEM	LIST	PKG
Fan Clamp 14G	48	100
Fan Clamp 16G	36	250
Fan Hook	240	25 Kg
10 MM Fan Fastner	40	20
12 MM Fan Fastner	68	12
6 No. Wall Gitti Fastner	12	100
8 No. Wall Gitti Fastner	16	60
10 No. Wall Gitti Fastner	25	40
12 No. Wall Gitti Fastner	46	25
10 x 75 Keel Fastner	18	70

**5 22G FOLDED
GI WHITE BOX**


Md	SIZE	RATE	Pkg
2	3 x 3	43	120
3	4 x 3	52	90
4	5 x 3	65	70
6	8 x 3	89	40
8	5 x 5	98	35
8	9 x 3	112	35
12	8 x 6	133	20

HSN: 85389000

**6 18G
GI WHITE BOX**


Md	SIZE	RATE	Pkg
2	3 x 3	55	120
3	4 x 3	66	90
4	5 x 3	81	70
6	8 x 3	110	40
8	5 x 5	120	35
8	9 x 3	137	35
12	8 x 6	163	20
18	8 x 8	272	12

**7 16G BLACK
POWDER COATED BOX**


Md	SIZE	RATE	Pkg
2	3 x 3	83	120
3	4 x 3	99	90
4	5 x 3	121	70
6	8 x 3	173	40
8	5 x 5	177	35
8	9 x 3	199	35
12	8 x 6	248	20
18	8 x 8	360	12

8 STAINLESS STEEL

Loose Pieces Available


MODULAR BOX

Md	SIZE	RATE	Pkg
2	3 x 3	150	120
3	4 x 3	170	90
4	5 x 3	200	70
6	8 x 3	290	40
8	5 x 5	310	35
8	9 x 3	350	35
12	8 x 6	420	20

STAINLESS STEEL
**9 18G GI Local Fit
NON MODULAR**

9" x 4"
NON
MODULAR

SIZE	RATE	Pkg
4 x 4	91	70
7 x 4	129	40
9 x 4	157	30
8 x 6	200	20
8 x 10	330	10
8 x 12	350	10
10 x 12	440	7
12 x 14	560	5

HSN: 84149030

GI SHUTTER (POWDER COATED)
10

For Exhaust Fans



SIZE	RATE	Inner Cutting	Pkg
9 Inch	750	9" x 9"	5 Pcs
12 Inch	1000	12" x 12"	5 Pcs
15 Inch	1160	15" x 15"	5 Pcs
18 Inch	1500	18" x 18"	5 Pcs
24 Inch	2060	24" x 24"	5 Pcs

HSN: 73079990

MS SHADDLE WITHOUT BASE
11


SIZE	Rate (Per Piece)	Box Pkg	MastrPkg
12 MM	2.00	500 Pcs	16 Box
16 MM	2.10	400 Pcs	16 Box
3/4" 20 MM	3.00	200 Pcs	16 Box
1" 25 MM	3.40	125 Pcs	16 Box
1 1/4" 32 MM	3.80	100 Pcs	16 Box
1 1/2" 40 MM	4.60	60 Pcs	16 Box
2" 50 MM	5.20	50 Pcs	16 Box

HSN: 85389000


GI MCB **CHANNEL** 18 Gauge
COPPER MCB **SHORT PATTI** 20 Gauge

Length	RATE	Pkg
1 Meter	130	10 Pcs
2 Ft (36 Way) L-Shaped Fork Type	340	10 Pcs

CABLE TIE
13

HSN: 39269099

**NYLON
NATURAL COLOR**


SIZE	SIZE	Rate
4"	100 x 2.0	18
6"	150 x 2.5	36
	150 x 3.6	50
8"	200 x 2.5	50
	200 x 3.6	68
10"	250 x 3.0	68
	250 x 3.6	90
12"	300 x 3.6	100
	300 x 4.8	150
14"	350 x 3.6	130
	350 x 4.8	180
16"	400 x 4.8	200
18"	450 x 4.8	240

SCREW

(1 Gurus = 144 Pcs)

BRASS SCREW
14

HSN: 74153390

SIZE	Rate/Gurus	Pkg
1"	980	6 Gurus
1 1/2"	1340	3 Gurus
2"	1640	3 Gurus
2 1/2"	2020	3 Gurus
3"	2460	3 Gurus
4"	3260	2 Gurus
WASHER	740	60x12Pkt

HSN: 74152100

HSN: 72173010


STEEL WIRE (TATA)

RATE	Pkg
220 per Kg	25 Kg
Pkg Rolls :- 500 Gm	1 Kg
Color Code	

GYPSON SCREW
15

HSN: 73181190

SIZE	Rate (Per Piece)
1/2"	0.360
3/4"	0.400
1"	0.520
1 1/2"	0.800
2"	1.020
2 1/2"	1.260
3"	1.540
4"	3.360

HSN: 73181190

(Rate / Pkt)


WOODEN SCREW
17

SIZE	RATE
35 x 8	72



PORTER booking -

- To be done from **YOUR** side ONLY
- To be done **AFTER** confirmation from our side
- **Our Location** - Type - "TEKSON CABLE HOUSE",
(our location will come automatically)
- **Mobile Number** for porter booking - +91- 9625877033

CONDUCTOR CURRENT RATINGS

@ 20°C

(In Air)

Area MM ²	ALUMINIUM (AMP)	COPPER (AMP)	Area MM ²	ALUMINIUM (AMP)	COPPER (AMP)
1.5	13	17	95	155	260
2.5	18	24	120	180	305
4	23	36	150	205	355
6	30	47	185	240	415
10	40	62	240	280	500
16	51	79	300	315	585
25	70	108	400	375	695
35	86	132	500	410	--
50	105	162	630	455	--
70	130	215	--	--	--

Terms & Conditions:

1. This Price List supersedes all previous lists
2. Prices are EXCLUSIVE OF GST as applicable will be charged EXTRA at the actual date of supply
3. Prices are subject to change without any prior notice and the rates prevailing on delivery date shall be applicable
4. Disputes (if any) are subject to Delhi/New Delhi Jurisdiction only
5. Any damage during transportation of material will be the responsibility of the purchasing party
6. Transportation cartage as applicable to be paid by the purchasing party
7. An interest of 18% will be charged for delay in payment beyond 30 days from billing



Factory :-
A-148 Sec-5, DSIDC Industrial Area,
Bawana, Delhi - 110039



contact@tekson.in
www.tekson.in
+91 9625877033
+91 9953577033

Cables | Switchgears | Metal Fitting | PVC Fitting