

35 Years with your trust

Ready Stock - Price List

w.e.f. June 2024



TEKSON[®]

Stay connected. Stay wired

Since 1989

Order Time : 10:00 AM - 7:00 PM
Delivery Time : Anytime (24 x 7)
Site Delivery : Extra Cartage
Drum & Crane Charges Extra



FIA TAC
FIRE INSURANCE/TARIFF ADVISORY COMMITTEE APPROVED

FR
PVC

Switchgears & DBs



Shielded & Other Cables



Flexible & Control Cables



MS Fitting Powder Coated



PVC Fitting



Fan Rod | Leads | Tapes



June' 2024

w.e.f. June' 2024



FR GRADE PVC **ROUND COPPER** FLEXIBLE CABLE

HSN: 85446020

SINGLE CORE

MULTI CORE (BLACK)

1



Color	Current Rating	strands	Size (mm ²)	90 Mtr		100 Mtr				Per Mtr Rate									
				1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core	8 Core	10 Core	12 Core	16 Core	19 Core	24 Core			
●●●●●○	5	19	0.50	1200	3440	4760	6060	80	96	112	130	160	190	250	290	380			
●●●●○●	8	10	0.75	1650	4750	6600	8460	120	140	160	180	220	260	340	410	530			
●●●○●●	13	14	1.0	2200	5900	8250	10900	150	175	200	225	280	340	450	530	700			
●●○●●●	17	22	1.5	3300	8500	12000	16000	210	260	300	340	420	500	690	830	1040			
●●○●●●	24	36	2.5	5300	13400	18900	25000	330	400	460	520	640	780	1080	1280	1620			
●●○●●●	36	56	4.0	8200	20600	29000	39000	510	640	-	-	-	-	-	-	-			
●●○●●●	47	84	6.0	12300	31500	44000	58000	750	940	-	-	-	-	-	-	-			
●●○●●●	62	140	10	20600	57000	77000	100000	1330	-	-	-	-	-	-	-	-			
●●○●●●	79	224	16	33000	86000	120000	157000	2140	-	-	-	-	-	-	-	-			
					Per Mtr														
●●○●●●	108	350	25	570	1400	1900	2400	3200	-	-	-	-	-	-	-	-	-		
●●○●●●	132	490	35	820	-	2600	3400												
●●○●●●	162	315	50	1150	-	3740	4900												
●●○●●●	215	440	70	1600	-	5200	6900												
●●○●●●	260	590	95	2140	-	7100	9400												
●●○●●●	305	760	120	2800	-	9300	12200												
●●○●●●	355	962	150	3500	-	11400	15800												
●●○●●●	415	925	185	4360	-	-	-												
●●○●●●	500	1221	240	5900	-	-	-												
●●○●●●	585	1527	300	7500	-	-	-												
●●○●●●	695	2036	400	10000	-	-	-												



WHITE - ROUND FLEXIBLE

Color	Size (mm ²)	TEKSON®	TEKSON®	SITASONS®
		2 Core (100 M)	3 Core (100 M)	2.5 Core (90 M)
○	0.50	-	-	3900
○	0.75	4750	-	4700
○	1.0	5900	-	5700
○	1.5	8500	12000	8240
○	2.5	13400	18900	13000

HSN: 85446020



Hi-flex Round Cable

3

- PVC * Highly Flexible | Extra Soft | Heavy Duty | Rough Use | Smooth Finish
- Copper * Higher Current Carrying Capacity - 101% Electrolytic Bare Copper | Ultra fine drawn wires to increase flexibility

Longer Life Extra Soft



90 Mtr Coil

Color	Size (mm ²)	2 Core	3 Core	Current Rating
○	0.75	4800	-	9 Amp
○	1.0	6500	-	15 Amp
○	1.5	8600	11900	19 Amp
○	2.5	13300	18750	25 Amp

- APPLICATION**
 Ideal for Moving Cable:-
 * Hand Tools
 * Extension Boards
 * Speakers
 * Camera Light

CABLES

HSN: 85446020

SHIELDED CABLE (Braided + Screened) Per Mtr

4



Size	100 Mtr			Per Mtr Rate																	
	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core	8 Core	10 Core	12 Core	16 Core	19 Core	24 Core									
0.50	7000	7800	9500	125	135	165	190	225	280	370	430	530									
0.75	7500	9800	12500	-	-	-	-	-	-	-	-	-									
1.00	9600	12700	16400	215	245	290	320	400	500	650	780	980									
1.50	14000	18000	24000	-	400	-	530	640	750	Cut / Drum Length Available for All Sizes											
2.50	22500	30000	38000	SHIELDED																	
4.00	-	-	57000										Shielded Armoured Available on Order								
6.00	-	-	86000																		

HSN: 85446020

AUTOMATION CABLE

5



FLEXIBLE CORE (90M)

Core	7/38	14/38
4 Core	2100	4200
6 Core	3150	6300
8 Core	4200	8400
10 Core	5250	10500
12 Core	6300	12600



SCREENED SHIELDED (90M)

Core	7/38	14/38
4 Core	3200	5800
6 Core	4800	8700
8 Core	6400	11600
10 Core	8000	14500
12 Core	9600	17400

HSN: 85446090

FIBRE GLASS WIRE (100M)

6

Size (mm ²)	TEKSON®	SITASONS®	TSR®
0.5	1800	NEW -	NEW -
0.75	2500	-	-
1.0	2720	2340	2000
1.5	4000	3410	2860
2.5	6200	5230	4300
4	9600	8050	6500
6	14100	11710	9430
10	23800	19830	15900
16	38800	32260	26200
25	658 Per Mtr	540 Per Mtr	-
35	900 Per Mtr	755 Per Mtr	-
50	1280 Per Mtr	1070 Per Mtr	-



Double Braiding



Black
White
Red



Cut Length Available

TEFLON WIRE (100M)

7

Size	Rate
0.5	3900
0.75	4500
1.0	5200
1.5	6800
2.5	9500
4	13500
6	20300
10	34000
16	56000


* Bare Copper
* Triple Taped
* Export Quality Tape 1100V



HSN: 85444992

CAT 6 NETWORKING CABLES

8



Item	List	Length	Make	Color
CAT 6 Tekson 90 Mtr	4500	90 Mtr	Tekson	●
CAT 6 Tekson 305 Mtr	15200	305 Mtr	Tekson	●
CAT 6 SitaSons 305 Mtr	12000	305 Mtr	SitaSons	●
CAT 6 Outdoor Black	15500	305 Mtr	Tekson	●
CAT 6 Armoured	124	per mtr	Tekson	●

HSN: 85442010

RG 6 COAXIAL CABLE

9



Item	90 MTR	305 MTR
RG 6 CCS - SitaSons	1500	—
RG 6 CCS - Tekson	1800	6350
RG 6 COPPER - SitaSons	2500	—
RG 6 COPPER - Tekson	3200	11100
RG 6 COP Armoured	94 per mtr	


HSN: 85447090

OPTIC FIBRE CABLE

10



Item	Rate / Mtr	Packing	Mode
Optic 2 Fibre Cable 2F SM	22	1000 Mtr	Single Mode
Optic 4 Fibre Cable 4F SM	30	1000 Mtr	Single Mode



HSN: 85442010

CCTV WIRE

11



ITEM	SITASONS®	TEKSON®	TEKSON®	TEKSON®
	Alloy+Copper	Solid Copper	Full Copper	Heavy Duty RG59Cu + 3Core (0.51MM)
	(90 Mtrs)	(90 Mtrs)	(90 Mtrs)	(305 Mtrs) Drum
CCTV (3+1)	2060	2900	3450	15600
CCTV (4+1)	2430	3400	4000	
CCTV (6+1)	3070	—	5100	
CCTV (8+1)	3500	—	6200	




HSN: 85444220

SITASONS® LEAD WIRE (with moulded TOP)

12

ITEM	Length	Color	Rate	Packing
3 PIN PRESS (With Thimble)	2.5 Mtr	○	195	10 Pcs
2 PIN FLAT	2 Mtr	○	60	20 Pcs
2 PIN FLAT	2.5 Mtr	○	67	20 Pcs
3 PIN 6A	2 Mtr	○	148	10 Pcs
3 PIN 6A	2.5 Mtr	○	160	10 Pcs
3 PIN 16A (Power - A.C.)	2 Mtr	○	282	8 Pcs



Press Lead

CABLES

ITEM 90 MTR	0.25 mm ²	0.50 mm ²	0.75 mm ²	1.00 mm ²	1.50 mm ²	2.50 mm ²
IVORY FLAT	1470	2500	3300	4200	5800	9000
IVORY FLAT (SITASONS)	-	-	NEW 2640	NEW 3600	-	-
TRANSPARENT OFCSpeaker TCBC	1600	2500	3300	4300	6000	9400
Flexible Twisted COPPER	1100	2100	2900			
White Parallel	1100	2100	2900			
White Parallel (SITASONS)	-	NEW 1500	-			
Flexible Twisted ALLOY	630	960	1450			
Cotton Wire	-	-	5700 (White)			

TELEPHONE PAIR

HSN: 85444992

0.41 MM (Coil Pack)		0.51 MM (Box Pack)	
Size	90 Mtr	Size	90 Mtr
1 PAIR	1000	1 PAIR	1550
2 PAIR	SITASONS® 1400	2 PAIR	2700
2 PAIR	1600	3 PAIR	4100
3 PAIR	2540	4 PAIR	5800
4 PAIR	SITASONS® 2800		
4 PAIR	3200		
5 PAIR	4230		
6 PAIR	5150		
8 PAIR	6700	DROP WIRE Size (Twin Parallel) 90 Mtr 0.65 MM X 2 Core 2500/- 	
10 PAIR	SITASONS® 7000		
10 PAIR	8500		
20 PAIR	17000		

SUBMERSIBLE CABLE

3 CORE FLAT

HSN: 85446020

Size	100 Mtr	500 Mtr
1.5 X 3 FLAT	12250	-
2.5 X 3 FLAT	19000	95000
4 X 3 FLAT	29500	147500
6 X 3 FLAT	44000	220000
10 X 3 FLAT	770 Per Mtr	Cut Length Available
16 X 3 FLAT	1200 Per Mtr	



JELLY FILLED TELEPHONE CABLE

HSN: 85444992

ARMoured (0.51 MM)		UN-ARMoured (0.51 MM)	
Size	Rate (Per Mtr)	Size	Rate (Per Mtr)
5 PAIR Jelly Filled	160	5 PAIR Jelly Filled	100
10 PAIR Jelly Filled	270	10 PAIR Jelly Filled	180
20 PAIR Jelly Filled	490	20 PAIR Jelly Filled	350
50 PAIR Jelly Filled	960	50 PAIR Jelly Filled	850



BLACK



GREY

HSN: 85446020

SOLID COPPER (90 Mtr)

SIZE	Rate	Color
—	—	—
—	—	—
1.50	3800	● ● ● ● ● ●
2.50	6300	● ● ● ● ● ●
4.0	9500	● ● ● ● ● ●
6.0	15000	● ● ● ● ● ●
10.0	25000	● ●
—	—	—
—	—	—
—	—	—



STRANDED COPPER (90 Mtr)

Size	Amp	Color	Gauge	SWG	Rate
0.75	5	●	1/.044	1/18	2450
1	10	● ● ● ● ● ●	3/.029	3/22	2900
1.5	14	● ● ● ● ● ●	3/.036	3/20	4200
2.5	18	● ● ● ● ● ●	7/.029	7/22	6400
4	25	● ● ● ● ● ●	7/.036	7/20	9400
6	30	● ● ● ● ● ●	7/.044	7/18	15500
12	42	● ● ● ● ● ●	7/.064	7/16	31700
25	57	● ●	7/.084	7/14	56000
40	97	● ●	19/.064	19/16	960
65	140	●	19/.084	19/14	1740

17

ALUMINIUM CABLES (Domestic Range)

HSN: 85444999

2 CORE TWIN FLAT

SIZE	90 Mtr		500 Mtr			
	SITASONS	TEKSON	SIZE	SITASONS	TEKSON	Length
2.5 X 2	—	2100	—	—	—	—
4 X 2	2340	2900	4 X 2	—	16120	500 Mtr
6 X 2	3020	3730	6 X 2	16780	20730	500 Mtr
10 X 2	4730	5800	10 X 2	26280	32230	500 Mtr
16 X 2	6540	9040	16 X 2	36330 (500 M)	25120 (250 M)	—
25 X 2	NEW 9640	12200	25 X 2	NEW 26780 (250 M)	33900 (250 M)	250 Mtr



18

HSN: 85446020

AL SINGLE CORE

Size	Rate	COLOR
1.5	570	● ●
2.5	860	● ●
4	1260	● ●
6	1880	● ●
10	3000	● ●
16	4400	●
25	6050	●



AL SINGLE CORE

Size	Rate	Color
6	2350	● ● ● ● ● ●
10	3650	● ● ● ● ● ●
16	4900	● ● ● ● ● ●
25	7600	● ● ● ● ● ●
35	10000	● ● ● ● ● ●
50	14200	● ● ● ● ● ●



4 CORE AL UN-ARMoured

Size	Rate	Rate	Std Length
10 X 4 AU	130	146	400 Mtr
16 X 4 AU	172	198	300 Mtr
25 X 4 AU	260	290	250 Mtr
35 X 4 AU	340	390	—
50 X 4 AU	470	540	—
70 X 4 AU	—	760	—



19

ARMOURED CABLES

XLPE/PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR VOLTAGE UPTO 1100 VOLTS

ALUMINIUM CABLE

ARMOURED						UN ARMOURD					
Size mm ²	1 Core	2 Core	3 Core	3.5 Core	4 Core	Size mm ²	1 Core	2 Core	3 Core	3.5 Core	4 Core
4	-	85	103	-	116	4	-	-	66	-	82
6	-	108	134	-	146	6	-	-	81	-	100
10	-	142	174	-	200	10	-	97	123	-	146
16	-	180	230	-	264	16	-	125	163	-	198
25	-	237	320	340	370	25	-	178	245	-	290
35	-	300	400	420	470	35	-	220	-	360	390
50	-	390	530	560	630	50	-	-	-	490	540
70	-	-	680	760	860	70	230	-	-	660	760
95	-	-	860	960	1090	95	290	-	-	890	1030
120	-	-	1060	1210	1390	120	370	-	-	1190	1330
150	510		-	1510	1750	150	430		-	1510	1700
185	620	-	-	1840	2140	185	550	-	-	-	-
240	820	-	-	2390	2710	240	710	-	-	-	-
300	980	-	-	2970	3530	300	900	-	-	-	-
400	1240	-	-	3800	-	400	1150	-	-	-	-
500	1550	-	-	-	-	500	1450	-	-	-	-
630	1890	-	-	-	-	630	1780	-	-	-	-



COPPER ARMOURED CABLE

Size mm ²	2 Core	3 Core	3.5 Core	4 Core	6 Core	8 Core	10 Core	12 Core
1.5	125	175	-	215	330	430	520	620
2.5	190	250	-	330	500	640	810	950
4	260	360	-	470				
6	380	550	-	710				
10	640	950	-	1150				
16	870	1270	-	1560				
25	-	2030	-	2530				
35		2650	-	3430				
50	-	-	4500	5000				
70	-	-	6100	6900				
95	-	-	8100	9300				
120	-	-	11300	-				
150	-	-	13000	-				

HSN: 85444992

JELLY FILLED TELEPHONE CABLE

ARMOURD (0.51 MM)	
Size	Rate (Per Mtr)
5 PAIR Jelly Filled	160
10 PAIR Jelly Filled	270
20 PAIR Jelly Filled	490
50 PAIR Jelly Filled	960




ALUMINIUM CABLE SITASONS

ARMOURD				UN ARMOURD		
Size mm ²	2 Core	3.5 Core	4 Core	Size mm ²	3 Core Solid	4 Core
4	60	-	-	4	-	-
6	80	-	-	6	-	-
10	102	-	153	10	103 Solid	130
16	-	-	216	16	135 Solid	172
25	-	-	320	25	170 Solid	260
35	-	-	410	35	230 Solid	340
50	-	500	550	50	-	470
70	-	640	730	70	-	-
95	-	830	940	95	-	-
120	-	1030	-	120	-	-



COPPER CABLE 23

FLEXIBLE ARMOURED

SIZE	2 Core	3 Core	4 Core
1.5	96	SITASONS	
2.5	160	210	270
4	-	330	420
6	-	460	600
10	-	-	950

HSN: 85446020

ALUMINIUM CABLE

24

SITASONS Cables	ARMOURED			UN ARMOURED		2 CORE FLAT ALUMINIUM			
	SIZE	2 Core	3.5 Core	4 Core	SIZE	4 Core	SIZE	90 Mtr	500Mtr
	4 SS	60	—	—	10 X 4 AU SS	130	4 X 2 FLAT SS	2340	—
	6 SS	80	—	—	16 X 4 AU SS	172	6 X 2 FLAT SS	3020	16780
	10 SS	102	—	153	25 X 4 AU SS	260	10 X 2 FLAT SS	4730	26280
	16 SS	—	—	216	35 X 4 AU SS	340	16 X 2 FLAT SS	6540	36330
	25 SS	—	—	320	50 X 4 AU SS	470	25 X 2 FLAT SS	9640	26780 (250 M)
	35 SS	—	—	410					
	50 SS	—	500	550					
	70 SS	—	640	730					
	95 SS	—	830	940					
	120 SS	—	1030	—					

HSN: 85446020

COPPER ROUND FLEXIBLE CABLE

25

SITASONS Cables	SINGLE CORE			MULTI CORE (BLACK)									
	Color	Size (mm ²)	90 Mtr	90 Mtr				Rate per Mtr (Std Pkg - 90+90 Mtr)					
			1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core	8 Core	10 Core	12 Core	
	●	0.50	—	3100	3900	5200	70	83	100	110	134	160	
	●●●●○	0.75	1400	3800	5200	6800	—	—	—	—	—	—	
	●●●●○	1.0	1860	4600	6400	8700	120	142	162	182	230	270	
	●●●●●	1.5	2680	6600	9200	12300	—	—	—	—	—	—	
	●●●●●	2.5	4300	10500	14700	19500	—	—	—	—	—	—	
	●●●●●	4.0	6780	16000	22850	30000	—	—	—	—	—	—	
	●●●●●	6.0	9950	24000	33200	44000	—	—	—	—	—	—	

WHITE ROUND (2.5 CORE) 26**COPPER ARMOURED 27**

Size	Rate (90 Mtr)
.50 mm ² x 3 Core	3900
.75 mm ² x 2.5 Core	4700
1.0 mm ² x 2.5 Core	5700
1.5 mm ² x 2.5 Core	8240
2.5 mm ² x 2.5 Core	13000

SIZE	2 Core
1.5 x 2 Core SS	96

(FRLS) With RED Color PVC for Fire Alarm System



CCTV CAMERA WIRE 28				SUBMERSIBLE CABLE 29			
Size	Rate	Length		Size	90 M	500 M	
3 + 1 SS	2060	90 M		1.5 X 3 Flat	9320	—	
4 + 1 SS	2430	90 M		2.5 X 3 Flat	15000	83330	
6 + 1 SS	3070	90 M		4 X 3 Flat	23000	127780	
8 + 1 SS	3500	90 M		6 X 3 Flat	33450	185840	

CAT 6 2 CORE WHITE FLAT 30				RG-6 Telephone Pair 31			
Size	Rate	Length		Size	Rate	Length	
0.75 Ivory Flat SS	2640	90 M		RG-6 CCS SS	1500	90 M	
1.0 Ivory Flat SS	3600	90 M		RG-6 Cop SS	2500	90 M	
0.50 White Parallel SS	1500	90 M		2 Pair SS	1400	90 M	
CAT 6 SS	12000	305 M		4 Pair SS	2800	90 M	
				10 Pair SS	7000	90 M	

Now with Double Protection from Rusting

GI SHEET

&

POWDER COATING

BUS BAR CHAMBERS

HSN: 85371000 32



Rating(Amp)	VOLT	RATE	Box Size (CM) LxBxH
32	415	1250	23 X 21 X 10
63	415	1720	30 X 23 X 10
100	415	2630	38 X 30 X 11
200	415	4160	46 X 38 X 13
320	415	5000	46 X 38 X 13
400	415	6870	51 X 43 X 16

Light Grey Color



SPN DB Double Door

HSN: 85371000

TPN DB Double Door

33

Size	RATE	Size (CM) LxBxH	Size	RATE	Size (CM) LxBxH
4 Way	540	22 X 13 X 10	4 Way TPN	1500	38 x 28 x 10
6 Way	630	22 X 18 X 10	6 Way TPN	1900	38 x 35 x 10
8 Way	720	22 X 22 X 10	8 Way TPN	2300	42 x 38 x 10
10 Way	810	22 X 24 X 10	12 Way TPN	3400	56 x 38 x 10
12 Way	900	22 X 28 X 10			
16 Way	990	22 X 32 X 10			

M.C.C.B BOX

(Multipurpose: Compatible with most company's MCCBs)

HSN: 85371000 34



Rating(Amp)	VOLT	RATE	Box Size (CM) LxBxH
100	415	870	40 x 20 x 9
200	415	1000	40 x 20 x 13
320	415	1600	50 x 26 x 13
400	415	3000	60 x 36 x 18

Now with Double Protection from Rusting

GI SHEET

&

POWDER COATING

(OFF-LOAD)



REWIRABLE SWITCH FUSE UNITS

HSN: 85365010

Rating (Amp)	DP (240V)	Size (CM)	Rating (Amp)	TPN (415V)	Box Size (CM)
63	3800	33 x 21 x 11	32	2200	26 x 22 x 9
			63	5300	35 x 28 x 13
			100	8300	41 x 32 x 14
			200 (Blade)	15000	55 x 32 x 18



HRC SWITCH (With Fuse & Double Brake)

HSN: 85365010

Rating (Amp)	VOLT	TYPE	RATE	Box Size (CM)
200	415	HRC	15000	35 x 35 x 33
320	415	HRC	16000	35 x 35 x 33
400	415	HRC	24000	36 x 45 x 35
630	415	HRC	52000	41 x 55 x 40
800	415	HRC	54000	41 x 55 x 40

(OFF-LOAD)



CHANGEOVER SWITCHES U-TYPE

HSN: 85365010

Rating (Amp)	Double Pole		Rating (Amp)	Four Pole	
	DP (240V)	Size (CM)		FP (415V)	Box Size (CM)
32	1240	21 x 15 x 9	32	2400	21 x 27 x 9
63	3100	29 x 19 x 13	63	5200	29 x 33 x 13
			100	8200	31 x 40 x 14

CHANGEOVER SWITCHES KNIFE TYPE

HSN: 85365010

Rating (Amp)	Double Pole		Rating (Amp)	Four Pole	
	DP (240V)	Size (CM)		FP (415V)	Box Size (CM)
63	4800	31 x 21 x 17	63	7600	31 x 36 x 17
100	6000	31 x 21 x 17	100	9000	31 x 36 x 17
			200	18200	50 x 44 x 25
			320	20400	50 x 44 x 25
			400	42000	58 x 51 x 39
			630	58000	65 x 64 x 31
			800	62000	65 x 64 x 31

INDUSTRIAL BUS BAR CHAMBERS

HSN: 85371000

Step Type Model



Rating (Amp)	VOLT	RATE	Box Size (CM) L X B X H
32	415	2000	26 x 23 x 13
63	415	2700	28 x 23 x 13
100	415	4100	36 x 30 x 15
200	415	7300	43 x 43 x 20
320	415	8200	43 x 43 x 20
400	415	15200	61 x 58 x 28
500	415	18000	61 x 58 x 28
630	415	31000	71 x 67 x 28
800	415	38000	71 x 67 x 28

FEATURES :

- > Made with Special **GI Sheet**
- > Heavy Duty Body
 - 1.0MM (20 Gauge)
- > Extra Ordinary **Space**
 - More Height for wiring comfort
- > Neutral Link Comb
 - Pure Copper Silver-Plated
- > Spectacular Design
 - Hidden Hinges
- > Special Granual Powder Coating



SPN DB Single Door

Double Door HSN: 85371000



Size	RATE	Size (CM)
2 POLE SITASONS	120	15 x 6 x 6
4 POLE SITASONS	160	15 x 10 x 6
4 Way SD	370	19 x 12 x 6
6 Way SD	440	19 x 15 x 6
8 Way SD	500	19 x 19 x 6
10 Way SD	560	19 x 22 x 6
12 Way SD	620	19 x 26 x 6
16 Way SD	740	19 x 33 x 6

Size	RATE	Size (CM)
-	-	-
-	-	-
4 Way DD	830	24 x 18 x 9
6 Way DD	960	24 x 22 x 9
8 Way DD	1110	24 x 25 x 9
10 Way DD	1250	24 x 29 x 9
12 Way DD	1400	24 x 32 x 9
16 Way DD	1670	24 x 39 x 9



TPN DB Double Door

HSN: 85371000



Size	RATE	Size (CM)
4 Way TPN	2100	39 x 29 x 10
6 Way TPN	2600	39 x 36 x 10
8 Way TPN	3040	39 x 43 x 10
12 Way TPN	4600	47 x 60 x 10



12 TPN DD (With more Space for Wiring)

M.C.C.B. BOX (Multipurpose: Compatible with most company's MCCBs)

HSN: 85371000



Rating(Amp)	VOLT	RATE	Box Size (CM)
100	415	1100	41 x 21 x 9.5
200	415	1220	41 x 21 x 13.5
320	415	1760	50 x 24 x 13
400	415	3600	60 x 36 x 18

A.C. BOX With Plug & Socket

HSN: 85371000



Rating(Amp)	Volt	Type	RATE	Box Size (CM)
20 A	240	SP	620	15 x 12 x 6
20 A	415	TP	1020	28 x 11 x 7
30 A	415	TP	1440	28 x 11 x 7

PORCELAIN FUSE (KIT KAT)

HSN: 85361020



Rating(Amp)	XL	With Extension
63	480	-
100	880	990
200	1570	1750
500	-	2920

Premium Quality

PVC ITEMS

PVC CLIP 1

HSN: 39174000



SIZE	RATE/Pkt	Pcs/Pkt	Packing
4 MM	33	100 Pcs	100 Pkt
7 MM	46	100 Pcs	100 Pkt
10 MM	74	100 Pcs	100 Pkt
12 MM	96	100 Pcs	100 Pkt
16 MM	150	100 Pcs	25 Pkt
20 MM	190	100 Pcs	25 Pkt
25 MM	280	100 Pcs	20 Pkt
32 MM	740	100 Pcs	10 Pkt
40 MM	1000	100 Pcs	5 Pkt
50 MM	1800	100 Pcs	5 Pkt
BattenClip	46	100 Pcs	100 Pkt

PVC GITTI 2

HSN: 39269099



SIZE	RATE/Pkt	Pcs/Pkt	Pack
35x8 Gitti (Reg)	240	500 Pcs	20 Pkt
35x8 Gitti (Big)	320	500 Pcs	20 Pkt
38 x 8 Gitti	320	500 Pcs	20 Pkt
50 x 8 Gitti	620	500 Pcs	10 Pkt

PVC ELBOW & TEE 3

HSN: 39174000



SIZE	ITEM	RATE	Packing
20 MM	Elbow	280 / 100	500 Pcs
25 MM	Elbow	550 / 100	500 Pcs
20 MM	Tee	420 / 100	500 Pcs
25 MM	Tee	690 / 100	400 Pcs
25 MM	Socket	540 / 100	500 Pcs

PVC MCB BOX 4

HSN: 85371000



SIZE	RATE/ Pcs	Packing
2 Pole	52	10 Pcs
4 Pole	74	10 Pcs

PVC SHUTTER 5

HSN: 84149030

(6" Grill) (6" Flap)



(12" Flap)



SIZE	RATE/ Pcs	Packing
6" Grill Shutter	240	15 Pcs
6" Flap Shutter	240	15 Pcs
12" Flap Shutter	260	8 Pcs

HSN: 39174000



JUMBO

HSN: 85389000



HSN: 85389000

Switch & Socket
MULTI
PURPOSE



(6 Socket)



HSN: 39174000



ABS JUNCTION BOX 6

SIZE	RATE/Dz	Box Pkg
25 MM	330	6 Dz

PVC JUNCTION BOX 7

SIZE	RATE	Packing
20 MM	140	15 Dz
25 MM	140	15 Dz

JUNCTION BOX-JUMBO 8

SIZE	RATE	Packing
25 MM	270	9 Dz
32 MM	510	4 Dz
40 MM	570	4 Dz
50 MM	920	2 Dz

MODULAR SURFACE BOX 9

SIZE	RATE/ Pcs	Pack
3 X 3	34	72
4 X 3	50	48
5 X 3	54	36
8 X 3	74	25
5 X 5	92	20
9 X 3	100	21
8 X 6	120	14
8 X 8	190	9

PVC GANG BOX 10

SIZE	RATE	Pack
1 Way 6A	24	10 Pcs
2 Way 6A	30	10 Pcs
3 Way 6A	32	10 Pcs
4 Way 6A	38	10 Pcs
5 Way 6A	46	10 Pcs
6 Way 6A	50	10 Pcs
6 Way 6A Square	82	10 Pcs
8 Way 6A Square	64	10 Pcs
10 Way 6A Square	88	10 Pcs
1 Way 16A	34	10 Pcs
2 Way 16A	46	10 Pcs
4 Way 16A	92	10 Pcs


PVC MCB DUMMY 11

HSN: 85389000	RATE	Packing
1 Module	190 / 100 Pcs	500

PVC SQUARE BOX 12

	RATE/ Pcs	Packing
PVC SQ BOX	9	50


HSN: 39173100 **FLEXIBLE PIPE** 13



MEDIUM


SIZE	RATE(₹)	PKG	SIZE	RATE	PKG
Rolls					
3/4"	150	42	3/4"	180	42
1"	196	30	1"	240	30

Length - 25 Mtr



HEAVY

SIZE	RATE	Pkg	SIZE	RATE	Pkg	Length
1/2"	170	25	1/2"	250	25 Roll	25 Mtr
3/4"	210	20	3/4"	300	20 Roll	25 Mtr
1"	280	15	1"	370	15 Roll	25 Mtr
1 1/4"	450	10	1 1/4"	630	10 Roll	25 Mtr
1 1/2"	530	10	1 1/2"	670	10 Roll	20 Mtr
2"	570	10	2"	710	10 Roll	15 Mtr



BLACK FLEXIBLE PIPE

SIZE	RATE	PKG	LENGTH (MTR)
10 MM	900	5	50 NEW
12 MM	1050	5	50 NEW
16 MM	710	5	25
20 MM	810	5	25
25 MM	1000	5	25
32 MM	1680	5	25
40 MM	1940	5	20
50 MM	2000	5	15

HSN: 39269099 **ROUND SHEET** 14


4" PLAIN


4" POP


4" PLAIN -3MM


5" PLAIN -3MM


7" POP


7" PLAIN


7" PLAIN -3MM

Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg
4.0	1000	5.0	1000	9.0	1000	13	750	14	300	17	500	27	300

HSN: 39162019 **PVC BATTEN**



NEW

SIZE	PKG	RATE / Kg	WT. (Apprx)
20/12	200 Pcs	} 240 Per KG	39 Kg
25/16	120 Pcs		29 Kg
30/15	120 Pcs		35 Kg
38/20	50 Pcs		21Kg
50/20	50 Pcs		26 Kg
45 x 45	15 Pcs	300/- Per Pcs	16 Kg

HSN: 39174000 **PVC BENDS** 15



SIZE		RATE	PACK
20 MM	Heavy	100	40 Dzn
25 MM	Medium	120	40 Dzn
25 MM	Heavy	180	40 Dzn
32 MM	Heavy	340	6 Dzn

HSN: 85469090 **PVC TAPE** 16

NEW **JUMBO**

Length	15 Mtr	7 Mtr
List	260/- per 10 Pcs	360/- per 30 Pcs
Packing	360 Pcs Carton	480 Pcs per Bag
Colors		



NORMAL

HSN: 59061000 GST: 12% **COTTON TAPE** 17

Black Cotton Tape with Adhesive



	Rate	Pkg
TEKSON Cotton Tape	120	24



	Rate	Pkg
T & T Cotton Tape	76	10

HSN: 39174000 ABS TEKSON®	1 					3" FAN BOX (ABS)		3" CONCEALED BOX		4" CONCEALED BOX		DEEP T 3"		JUNCTION BOX		
						Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate
							170/-	12 PCS	74/-	20 PCS	90/-	20 PCS	550/-	1 Dz	330/-	6 Dz

HSN: 73079990 METAL TEKSON HEAVY	2 New 					16 Gauge FAN BOX (T)		3" CONCEALED BOX		4" CONCEALED BOX		DEEP T 3" MS		Cast Iron (CI) JUNCTION BOX		
						Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate
16 Gauge Sheet 12MM Rod ABS Cover							164/-	35 PCS	88/-	80 PCS	100/-	60 PCS	640/-	27 DZN	440/-	39 Dzn

HSN: 73079990 METAL SITASONS MEDIUM	3 	Without Cover 	New DIAMETER - 5.5" 		SITASONS FAN BOX (SS)		3" CONCEALED BOX		5" ROUND HANDI BOX		Cast Iron (CI) JUNCTION BOX				
					Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Size	Rate	Pkg
No Welding, No Joint Deep Drawn							116/-	60 PCS	70/-	100 PCS	80/-	80 PCS	20 MM	360/-	60 Dzn
													25 MM	380/-	45 Dzn

FAN DOWN ROD

HSN: 84149030 	Size	Rate	Pack	Color	HSN: 84149030 With Fresh Grey Rubber 	ITEM	RATE	PKG			
	6"	48	25	○ ●					Fan Clamp 16G	28 / Pcs	250
	9"	50	25	○ ●					Fan Clamp 14G	44 / Pcs	100
	12"	52	25	○ ● ●					Fan Clamp 12G	54 / Pcs	100
	15"	65	25	○ ● ● ●					Fan Hook (8-9 Pieces per Kg)	200 / Kg	25Kg
	18"	78	25	○ ● ● ● ●					10MM Fan Fastner	35 / Pcs	20
	21"	91	25	○ ● ● ● ● ●					12MM Fan Fastner	61 / Pcs	12
	24"	104	25	○ ● ● ● ● ● ●					6 No. Wall Gitti Fastner	11 / Pcs	100
	30"	130	25	○ ● ● ● ● ● ● ●					8 No. Wall Gitti Fastner	16 / Pcs	60
	36"	156	25	○ ● ● ● ● ● ● ● ●					10 No. Wall Gitti Fastner	23 / Pcs	40
	48"	224	25	○ ● ● ● ● ● ● ● ● ●					12 No. Wall Gitti Fastner	46 / Pcs	25
	60"	280	25	○ ● ● ● ● ● ● ● ● ● ●					10 x 75 Wall Keel Fastner	20 / Pcs	70
72"	336	25	○ ● ● ● ● ● ● ● ● ● ● ●								
84"	392	25	○ ● ● ● ● ● ● ● ● ● ● ● ●								
96"	448	10	○ ● ● ● ● ● ● ● ● ● ● ● ● ●								
108"	504	10	○ ● ● ● ● ● ● ● ● ● ● ● ● ● ●								
120"	560	10	○ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●								

5 22G FOLDED GI WHITE BOX



Md	SIZE	RATE	Pk
2	3 X 3	35	120
3	4 X 3	42	90
4	5 X 3	53	70
6	8 X 3	72	40
8	5 X 5	80	35
8	9 X 3	92	35
12	8 X 6	110	20

HSN: 85389000

6 18G GI WHITE BOX



Md	SIZE	RATE	Pk
2	3 X 3	46	120
3	4 X 3	54	90
4	5 X 3	67	70
6	8 X 3	92	40
8	5 X 5	102	35
8	9 X 3	116	35
12	8 X 6	136	20
18	8 X 8	220	12

7 16G BLACK POWDER COATED BOX



Md	SIZE	RATE	Pk
2	3 X 3	70	120
3	4 X 3	84	90
4	5 X 3	102	70
6	8 X 3	146	40
8	5 X 5	150	35
8	9 X 3	168	35
12	8 X 6	210	20
18	8 X 8	300	12

8 STAINLESS STEEL MODULAR BOX



Md	SIZE	RATE	Pk
2	3 X 3	130	80
3	4 X 3	150	60
4	5 X 3	180	48
6	8 X 3	250	29
8	5 X 5	270	24
8	9 X 3	300	25
12	8 X 6	380	14

STAINLESS STEEL

9 18G GI Local Fit NON MODULAR



9" x 4"
NON MODULAR

SIZE	RATE	PK
4 X 4	76	70
7 X 4	108	40
9 X 4	132	30
8 X 6	160	20
8 X 10	270	10
8 X 12	290	10
10 X 12	360	7
12 X 14	460	5

HSN: 84149030 **GI SHUTTER (POWDER COATED)** For Exhaust Fans



Size	RATE	Pkg
9 Inch	510	1
12 Inch	640	1
15 Inch	820	1
18 inch	1140	1
24 inch	1500	1

HSN: 73079990 **MS SHADDLE WITHOUT BASE**



SIZE	RATE(per piece)	PACK
3/4" 20MM	2.80	200
1" 25MM	3.10	125
1 1/4" 32MM	3.80	100
1 1/2" 40MM	4.40	60
2" 50MM	5.00	50



HSN: 85389000

GI MCB CHANNEL 22 Gauge
GI MCB CHANNEL 18 Gauge
COPPER MCB SHORT PATTI 20 Gauge

Length	RATE	Pkg
2 Feet	48	10 Pcs
1 Meter	110	10 Pcs
2 Ft (36 Way) L-Shaped Fork Type	220	10 Pcs

CABLE TIE

HSN: 39269099

NYLON NATURAL COLOR



SIZE	RATE	RATE
4"	100 X 2.0	21
6"	150 X 2.5	42
	150 X 3.6	62
8"	200 X 2.5	56
	200 X 3.6	80
10"	250 X 3.0	82
	250 X 3.6	110
12"	300 X 3.6	130
	300 X 4.8	170
14"	350 X 3.6	156
	350 X 4.8	220
16"	400 X 4.8	250
18"	450 X 4.8	300

SCREW

(1 Grus = 144 Pcs)

HSN: 74153390



Size	Rate/ Grus	Packing (Grus)
1"	700	6
1 1/2"	940	3
2"	1140	3
2 1/2"	1400	3
3"	1740	3
4"	2340	2

HSN: 74152100

WASHER 600 (60 pcs x 12 pkt)

GYP SUM SCREW

HSN: 73181190



Size	Rate
3/4"	0.380
1"	0.480
1 1/2"	0.720
2"	0.900
2 1/2"	1.180
3"	1.380
4"	3.000

HSN: 72173010

STEEL WIRE



200 / kg 25 kg
Pkg: 500Gm | 1Kg
Color Code:

HSN: 73181190



WOODEN SCREW
35 X 8 70



CONDUCTOR CURRENT RATINGS @ 20°C (In Air)

Area MM ²	ALUMINIUM (AMP)	COPPER (AMP)	Area MM ²	ALUMINIUM (AMP)	COPPER (AMP)
1.5	13	17	95	155	260
2.5	18	24	120	180	305
4	23	36	150	205	355
6	30	47	185	240	415
10	40	62	240	280	500
16	51	79	300	315	585
25	70	108	400	375	695
35	86	132	500	410	--
50	105	162	630	455	--
70	130	215	--	--	--

Terms & Conditions:

1. This Price List supersedes all previous lists
2. Prices are EXCLUSIVE OF GST as applicable will be charged EXTRA at the actual date of supply
3. Prices are subject to change without any prior notice and the rates prevailing on delivery date shall be applicable
4. Disputes (if any) are subject to Delhi/New Delhi Jurisdiction only
5. Any damage during transportation of material will be the responsibility of the purchasing party
6. Transportation cartage as applicable to be paid by the purchasing party
7. An interest of 18% will be charged for delay in payment beyond 30 days from billing



TEKSON[®]

Works: C-17, DSIDC Industrial Area, Rohtak Road, Nangloi, Delhi - 110041



contact@tekson.in

www.tekson.in

+91 9625877033

Cables | Switchgears | Metal Fitting | PVC Fitting